



**CELLIFE®**



## 新舊謝爾富滴劑 Celllife / Cellfood

成份及功能性

驗證檢測比對報告

Ingredient Consistency  
And Potency Reports

Celllife is synthesized in a cGMP certified facility which is selected by the Clear Direction Naturopathic Institute as the D2SO4 solution for non-multi layer marketing sales channels.


For its formula completely consistent with the original “Cellfood” holding in the laboratory of Santa Paula, California by Ev Storey, Celllife also has an outstanding reading of dissolved oxygen which has been verified by the *Bio Screen Testing Services Inc.* (Torrance, California). A formula consistency report was also offered by the *Taiwan National Science Council*, utilizing their latest NMR(Nuclear Magnetic Resonance) spectroscopy technology (Please visit [www.celllife.com](http://www.celllife.com) for more details). NMR equipments and ingredient identification services are also available in the following national university chemistry laboratories: *National Taiwan University, National Chiao Tung University, National Chung Hsing University and National Cheng Kung University*. All testification by Celllife clients are welcome to be conducted in the listed laboratories, for consistency and potency.

cGMP 藥廠規格充填製成之 Celllife 為德瑞森莊園自然醫學中心列選為謝爾富滴劑 (原 Cellfood) 在台非傳銷通路之正統 D2SO4 製劑，經台灣國科會 NMR 超導核磁共振光譜成份比對檢驗報告證實其成份與美國加州聖寶拉實驗室由史多瑞 (Ev Storey) 所持有之原始 Cellfood 配方成份完全一致。Celllife 並具有美國加州 BioScreen 實驗室所測試出的傑出水中溶氧量檢測報告 (詳細內容請至官網 [Celllife.com](http://Celllife.com) 瀏覽相關資訊)。

設備有 NMR 超導核磁共振光譜儀之國立大學化學實驗室包括：台大、交大、興大、成大。使用者可親自將新舊版謝爾富滴劑送至上述之檢測機構以確認兩者配方成份內容之完整吻合度與更佳的水中溶氧效率。

# 新舊謝爾富滴劑水中溶氧量測試比對

## Dissolved Oxygen levels



註：大氣層氣壓內每公升純氧之重量為1000 mg

新謝爾富滴劑 (**CELLLIFE**) 以 cGMP 處方級規格加強濃度奈米化製成，經美國加州 *Bioscreen Testing Service* 實驗室證明，將 **CELLLIFE 8** 滴加入 1 公升的純水所得到的水中溶氧量數據明顯優於 **CELLFOOD** 於同一實驗室以相同實驗規格所得之結果，詳細實驗結果請參閱 *Bioscreen Testing Service* 實驗報告。

註：水中溶氧量為判定重氫硫酸鹽酵素製劑 ( $D_2SO_4$ ) 裂解水分子效能之主要數據指標。

註：

資料來源：nu science公司網頁，因每公升純氧之重量為1000mg（於大氣壓力內）因此網頁所載之單位「mg/ml」應為「mg/l」之誤值，在此代為修正以利比對。



**ANALYTICAL REPORT**

Clear Direction International  
Attn: Tim Shieh  
48 Wu-Chan 5<sup>th</sup> Street  
Taichung, TW 40346

**Report Date:** 05/11/12  
**Date Received:** 04/27/12  
**Date Completed:** 05/03/12  
**Project No.:** 754815  
**P.O. No.:** Not Specified  
**Notebook No.:** 7547-47


Page 1 of 1

| <u>Accession No.</u> | <u>Sample</u> | <u>Lot No.</u> | <u>Batch No.</u> |
|----------------------|---------------|----------------|------------------|
| 754815               | CellLife      | Not Specified  | Not Specified    |

| <u>Test</u>       | <u>BTS Method No.</u> | <u>Specification</u> | <u>Result</u>   |
|-------------------|-----------------------|----------------------|---|
| Dissolved Oxygen* | M506.R02              | Not provided         | T = 0                      4.2 mg/L<br>T = 15 min              6.0 mg/L<br>T = 30 min              6.3 mg/L<br>T = 60 min              6.2 mg/L |

**Comment:**

\* Perform dissolved oxygen reading in 8 oz. of purified de-ionized water at time 0 with no sample added. Then add 10 drops of sample (mix it well) and at time 15 minutes, 30 minutes and 60 minutes measure the dissolved oxygen content.

  
\_\_\_\_\_  
Doris Ye, M.S.  
Chemistry Manager

# Analytical Report: Dissolved Oxygen

Conducted by an independent FDA certified laboratory

Report Date: 08/06/99  
Date initiated: 07/22/99  
Date completed: 07/3099

Project # 88100  
Reference # 677-074,077

---

## What the test means:

The Analytical Test for Dissolved Oxygen tests for the the amount of dissolved oxygen in water, and can demonstrate an increase in dissolved oxygen over time.

---

## Sample Description:

|              |                |                        |                    |                   |
|--------------|----------------|------------------------|--------------------|-------------------|
| <b>ACC#:</b> | <b>Sample:</b> | <b>Test Performed:</b> | <b>BTS Method:</b> | <b>Lot:</b>       |
| 88100        | Cellfood®      | Dissolved Oxygen       | M506.R1            | ROM623 exp 3/2001 |

---

## Results:

### Amount of dissolved oxygen

|                                   | With no<br>sample added | After addition<br>of sample |            |            |
|-----------------------------------|-------------------------|-----------------------------|------------|------------|
|                                   | 0 minutes               | 15 minutes                  | 30 minutes | 60 minutes |
| 8 oz. Purified<br>Deionized Water | 1.9 mg/l                | 2.2 mg/l                    | 2.5 mg/l   | 3.0 mg/l   |




---

## Discussion:




Ten (10) drops of Cellfood were added to 8 oz. of purified, deionized water. Dissolved oxygen measurements were taken at time 0 and at 15, 30 and 60 minutes.

# 新舊謝爾富滴劑國科會 NMR 超導核磁共振光譜成份比對檢驗報告

## Cellfood



## Celllife



檢測結果：於誤差值1000分之3.5內判定為完全相同成份之物質

資料提供：德瑞森莊園自然醫學中心

檢測單位：國立中興大學超高磁場核磁共振儀研究發展處貴重儀器使用中心

檢測日期：2012年6月

NMR檢測原理：<http://www.bio.fju.edu.tw/excel/content05/html/50b.htm>


# Cellfood

CELL-FOOD

exp41 s2pu1

```
SAMPLE          DEC. & VT
date   Apr 11 2012  dfrq      599.937
solvent  D2O        dn        H1
file     exp       dpwr      30
ACQUISITION      dof        0
sfrq     599.937  dm         nnn
tn        H1      dmm        c
at        1.997   dmf        200
np        47926   dseq       1.0
sw        12001.2 dres       n
fb        not used homo
bs         8      DEC2
tpwr      80     dfrq2      0
pw        5.8    dn2
d1        1.000  dpwr2      1
tof       -183.4 dof2      0
nt        512    dm2        n
ct        376    dmm2       c
alock     n      dmf2       200
gain      10     dseq2      1.0
          FLAGS  dres2      n
il        n      homo2
in        n      PROCESSING
dp        y      wffile
hs        nn     proc        ft
          DISPLAY  fn         not used  f
sp        -300.1  math
wp        8299.1
vs        369    werr
sc        0      wexp
wc        250    wbs
hzmm      25.20  wnt        wft
is        33.57
rfl       6000.6
rfp       2879.7
th        58
ins       10.000
nm  cdc  ph
```

4.800




# Cellfood

CELL-FOOD

exp46 s0pu1


```
SAMPLE          DEC. & VT
date Apr 11 2014 dfrq          599.937
solvent 020      dn            H1
file exp       dpwr          30
ACQUISITION     dof            0
sfrq  92.085   dm            nnn
tn     1k      dmm           c
at     2.000   dmf           200
np     32000   dseq           1.0
sw     8000.0  dras           n
fb     not used homo
bs     8       DEC2
tpwr   45     dfrq2          0
pw     40.0   dn2            1
d1     1.000  dpwr2          0
tof    500.0  dof2           n
nt     1024   dm2            c
ct     504   dmm2           200
alock  n      dmf2           1.0
gain   30     dres2          1.0
        FLAGS  homo2         n
        in     n      PROCESSING
        dp     y     lb          1.00
        hs     nn    wfile
        DISPLAY  proc         ft
        sp     -1839.4  fn          not used
        wp     3579.2  math         f
        vs     26
        sc     0      werr
        wc     250    wexp
        hzmm   14.72  wbs
        ls     18.79  wnt          wft
        rfl    3468.7
        rfp    0
        th     18
        lns    10.000
nm     ph
```



CELL-FOOD

Pulse Sequence: s2pu1

# Cellfood






CELLLIFE

exp2 s2pu1


|             |             |            |          |
|-------------|-------------|------------|----------|
|             | SAMPLE      | DEC. & VT  |          |
| date        | Jun 27 2012 | dfrq       | 599.937  |
| solvent     | D2O         | dn         | H1       |
| file        | exp         | dpwr       | 30       |
| ACQUISITION |             |            |          |
| sfrq        | 599.937     | dm         | nmh      |
| tn          | H1          | dmm        | c        |
| at          | 2.000       | dmf        | 200      |
| np          | 32000       | dseq       |          |
| sw          | 8000.0      | dres       | 1.0      |
| fb          | not used    | homo       | n        |
| bs          | 8           | DEC2       |          |
| tpwr        | 60          | dfrq2      | 0        |
| pw          | 5.8         | dn2        |          |
| d1          | 1.000       | dpwr2      | 1        |
| tof         | -173.3      | dof2       | 0        |
| nt          | 1024        | dm2        | n        |
| ct          | 424         | dmm2       | c        |
| alock       | n           | dmf2       | 200      |
| gain        | 20          | dseq2      |          |
| FLAGS       |             |            |          |
|             |             | dres2      | 1.0      |
| i1          | n           | homo2      | n        |
| in          | n           | PROCESSING |          |
| dp          | y           | wtfile     |          |
| hs          | nn          | proc       | ft       |
| DISPLAY     |             |            |          |
| sp          | -300.0      | fn         | not used |
| wp          | 6298.8      | math       | f        |
| vs          | 4746        | werr       |          |
| sc          | 0           | wexp       |          |
| wc          | 250         | wbs        |          |
| hzmm        | 25.20       | wnt        | wft      |
| is          | 33.57       |            |          |
| rfl         | 4000.0      |            |          |
| rfp         | 2879.7      |            |          |
| th          | 118         |            |          |
| lms         | 100.000     |            |          |
| nm          | ph          |            |          |



CELL-LIFE

exp45 s2pu1

|             |             |            |          |
|-------------|-------------|------------|----------|
| SAMPLE      |             | DEC. & VT  |          |
| date        | Apr 11 2012 | dfrq       | 599.937  |
| solvent     | D2O         | dn         | H1       |
| file        | exp         | dpwr       | 30       |
| ACQUISITION |             |            |          |
| sfrq        | 92.095      | dm         | nnn      |
| tn          | 1k          | dmm        | c        |
| at          | 2.000       | dmf        | 200      |
| np          | 32000       | dseq       |          |
| sw          | 8000.0      | dres       | 1.0      |
| fb          | not used    | homo       | n        |
| bs          | 8           | DEC2       |          |
| tpwr        | 45          | dfrq2      | 0        |
| pw          | 40.0        | dn2        |          |
| d1          | 1.000       | dpwr2      | 1        |
| tof         | 500.0       | dof2       | 0        |
| nt          | 5000        | dm2        | n        |
| ct          | 304         | dmm2       | c        |
| alock       | n           | dmf2       | 200      |
| gain        | 30          | dseq2      |          |
| FLAGS       |             | dres2      | 1.0      |
| il          | n           | homo2      | n        |
| in          | n           | PROCESSING |          |
| dp          | y           | lb         | 2.00     |
| hs          | nn          | wtfile     |          |
| DISPLAY     |             | proc       | ft       |
| sp          | -1848.6     | fn         | not used |
| wp          | 3688.5      | math       | f        |
| vs          | 24          |            |          |
| sc          | 0           | werr       |          |
| wc          | 250         | wexp       |          |
| h2mm        | 14.75       | wbs        |          |
| is          | 33.57       | wnt        | wft      |
| rfl         | 3468.7      |            |          |
| rfp         | 0           |            |          |
| th          | 21          |            |          |
| ins         | 10.000      |            |          |
| nm          | cdc ph      |            |          |



CELLLIFE

Pulse Sequence: s2pu1

Celllife

